

EDoc Application

version 0.7

Typeset in L^AT_EX from SGML source using the DocBuilder-0.9.8 Document System.

Contents

1	EDoc User's Guide	1
1.1	Welcome to EDoc	1
1.1.1	Contents	1
1.1.2	Introduction	2
1.1.3	Running EDoc	2
1.1.4	The overview page	3
1.1.5	Generic tags	3
1.1.6	Overview tags	4
1.1.7	Module tags	5
1.1.8	Function tags	6
1.1.9	References	7
1.1.10	Notes on XHTML	7
1.1.11	Wiki notation	8
1.1.12	Macro expansion	10
1.1.13	Type specifications	12
1.1.14	Acknowledgements	14
2	EDoc Reference Manual	17
2.1	edoc	22
2.2	edoc_doclet	28
2.3	edoc_extract	30
2.4	edoc_layout	33
2.5	edoc_lib	34
2.6	edoc_run	37
	List of Tables	39

Chapter 1

EDoc User's Guide

EDoc is the Erlang program documentation generator. Inspired by the Javadoc (TM) tool for the Java (TM) programming language, EDoc is adapted to the conventions of the Erlang world, and has several features not found in Javadoc.

1.1 Welcome to EDoc

EDoc is the Erlang program documentation generator. Inspired by the Javadoc(TM) tool for the Java(TM) programming language, EDoc is adapted to the conventions of the Erlang world, and has several features not found in Javadoc.

1.1.1 Contents

- Introduction [page 2]
- Running EDoc [page 2]
- The overview page [page 3]
- Generic tags [page 3]
- Overview tags [page 4]
- Module tags [page 5]
- Function tags [page 6]
- References [page 7]
- Notes on XHTML [page 7]
- Wiki notation [page 8]
- Macro expansion [page 10]
- Type specifications [page 12]
- Acknowledgements [page 14]

1.1.2 Introduction

EDoc lets you write the documentation of an Erlang program as comments in the source code itself, using *tags* on the form “@Name ...”. A source file does not have to contain tags for EDoc to generate its documentation, but without tags the result will only contain the basic available information that can be extracted from the module.

A tag must be the first thing on a comment line, except for leading ‘%’ characters and whitespace. The comment must be between program declarations, and not on the same line as any program text. All the following text - including consecutive comment lines - up until the end of the comment or the next tagged line, is taken as the *content* of the tag.

Tags are associated with the nearest following program construct “of significance” (the module name declaration and function definitions). Other constructs are ignored; e.g., in:

```
%% @doc Prints the value X.  
  
-record(foo, {x, y, z}).  
  
print(X) -> ...
```

the @doc tag is associated with the function `print/1`.

Note that in a comment such as:

```
% % @doc ...
```

the tag is ignored, because only the first ‘%’ character is considered “leading”. This allows tags to be “commented out”.

Some tags, such as @type, do not need to be associated with any program construct. These may be placed at the end of the file, in the “footer”.

1.1.3 Running EDoc

The following are the main functions for running EDoc:

- `edoc:application/2` [page 22]: Creates documentation for a typical Erlang application.
- `edoc:packages/2` [page 25]: Creates documentation for one or more packages, automatically locating source files.
- `edoc:files/2` [page 23]: Creates documentation for a specified set of source files.
- `edoc:run/3` [page 26]: General interface function; the common back-end for the above functions. Options are documented here.

Note that the function `edoc:file/2` [page 23] belongs to the old, deprecated interface (from EDoc version 0.1), and should not be used.

1.1.4 The overview page

When documentation is generated for an entire application, an overview page, or “front page”, is generated. (The page you are now reading is an overview page.) This should contain the high-level description or user manual for the application, leaving the finer details to the documentation for individual modules. By default, the overview page is generated from the file `overview.edoc` in the target directory (typically, this is the `doc` subdirectory of the application directory); see `edoc_doclet` [page 28] for details.

The format of the overview file is the same as for EDoc documentation comments (see Introduction [page 2]), except that the lines do not have leading `'%'` characters. Furthermore, all lines before the first tag line are ignored, and can be used as a comment. All tags in the overview file, such as `@doc`, `@version`, etc., refer to the application as a whole; see Overview tags [page 4] for details.

Here is an example of the contents of an overview file:

```
** this is the overview.doc file for the application 'frob' **

@author R. J. Hacker <rjh@acme.com>
@copyright 2007 R. J. Hacker
@version 1.0.0
@title Welcome to the 'frob' application!
@doc 'frob' is a highly advanced frobnicator with low latency,
...
```

1.1.5 Generic tags

The following tags can be used anywhere within a module:

`@clear` This tag causes all tags above it (up to the previous program construct), to be discarded, including the `@clear` tag itself. The text following the tag is also ignored. *This is typically only useful in code containing conditional compilation, when preprocessing is turned on.* (Preprocessing is turned off by default.) E.g., in

```
-ifdef(DEBUG).
%% @doc ...
foo(...) -> ...
-endif.
%% @clear

%% @doc ...
bar(...) -> ...
```

the `@clear` tag makes sure that EDoc does not see two `@doc` tags before the function `bar`, even if the code for function `foo` is removed by preprocessing. (There is no way for EDoc to see what the first `@doc` tag “really” belongs to, since preprocessing strips away all such information.)

`@docfile` Reads a plain documentation file (on the same format as an overview file - see The overview page [page 3] for details), and uses the tags in that file as if they had been written in place of the `@docfile` tag. The content is the name of the file to be read; leading and trailing whitespace is ignored. See also `@headerfile` [page 4].

`@end` The text following this tag is always ignored. Use this to mark the end of the previous tag, when necessary, as e.g. in:

```
%% -----  
%% ...  
%% @doc ...  
%% ...  
%% @end  
%% -----
```

to avoid including the last “ruler” line in the @doc tag.

Note: using some other “dummy” @-tag for the same purpose might work in a particular implementation of EDoc, but is not guaranteed to. Always use @end to ensure future compatibility.

@headerfile Similar to the @docfile tag [page 3], but reads a file containing Erlang source code - generally this should be a header file (with the extension `.hrl`). If the file turns out to contain one or more function definitions or a module declaration, all tags that occur above the last such definition or module declaration are ignored, and EDoc will print a warning. This tag allows you to write documentation in a header file and insert it at a specific place in the documentation, even if the header file is used (i.e., included) by several modules. The `includes` option can be used to specify a search path (see `edoc:read_source/2` [page 25]).

@todo (or @TODO) Attaches a To-Do note to a function, module, package, or overview-page. The content can be any XHTML text describing the issue, e.g.:

```
%% @TODO Finish writing the documentation.
```

or

```
%% @todo Implement <a href="http://www.ietf.org/rfc/rfc2549.txt">RFC 2549</a>.
```

These tags can also be written as “TODO:”, e.g.:

```
%% TODO: call your mother
```

see Wiki notation [page 8] for more information. To-Do notes are normally not shown unless the `todo` option is turned on (see `edoc:get_doc/2` [page 24]).

@type Documents an abstract data type or type alias. The content consists of a type declaration or definition, optionally followed by a period (‘.’) separator and XHTML text describing the type (i.e., its purpose, use, etc.). There must be at least one whitespace character between the ‘.’ and the text. See Type specifications [page 12] for syntax and examples. All data type descriptions are placed in a separate section of the documentation, regardless of where the tags occur.

1.1.6 Overview tags

The following tags can be used in an overview file.

@author See the @author module tag [page 5] for details.

@copyright See the @copyright module tag [page 5] for details.

@doc See the @doc module tag [page 5] for details.

@reference See the @reference module tag [page 5] for details.

@see See the @see module tag [page 6] for details.

@since See the @since module tag [page 6] for details.

@title Specifies a title for the overview page. This tag can *only* be used in an overview file. The content can be arbitrary text.

@version See the @version module tag [page 6] for details.

1.1.7 Module tags

The following tags can be used before a module declaration:

@author Specifies the name of an author, along with contact information. An e-mail address can be given within `<...>` delimiters, and a URI within `[...]` delimiters. Both e-mail and URI are optional, and any surrounding whitespace is stripped from all strings. The name is the first nonempty string that is not within `<...>` or `[...]`, and does not contain only whitespace. (In other words, the name can come before, between, or after the e-mail and URI, but cannot be split up; any sections after the first are ignored.) If an e-mail address is given, but no name, the e-mail string will be used also for the name. If no `<...>` section is present, but the name string contains an '@' character, it is assumed to be an e-mail address. Not both name and e-mail may be left out.

Examples:

```
%% @author Richard Carlsson

%% @author Richard Carlsson <richardc@it.uu.se>
%% [http://user.it.uu.se/~richardc/]

%% @author <richardc@it.uu.se>

%% @author richardc@it.uu.se [http://user.it.uu.se/~richardc/]
```

@copyright Specifies the module copyrights. The content can be arbitrary text; for example:

```
%% @copyright 2001-2003 Richard Carlsson
```

@deprecated Mark the module as deprecated, indicating that it should no longer be used. The content must be well-formed XHTML, and should preferably include a `{@link}` reference to a replacement; as in:

```
%% @deprecated Please use the module {@link foo} instead.
```

@doc Describes the module, using well-formed XHTML text. The first sentence is used as a summary (see the @doc function tag [page 6] for details). For example.:

```
%% @doc This is a <em>very</em> useful module. It is ...
```

@hidden Marks the module so that it will not appear in the documentation (even if “private” documentation is generated). Useful for sample code, test modules, etc. The content can be used as a comment; it is ignored by EDoc.

@private Marks the module as private (i.e., not part of the public interface), so that it will not appear in the normal documentation. (If “private” documentation is generated, the module will be included.) The content can be used as a comment; it is ignored by EDoc.

@reference Specifies a reference to some arbitrary external resource, such as an article, book, or web site. The content must be well-formed XHTML text. Examples:

```
%% @reference Pratchett, T., <em>Interesting Times</em>,
%% Victor Gollancz Ltd, 1994.
```

```
%% @reference See <a href="www.google.com">Google</a> for
%% more information.
```

@see See the @see function tag [page 6] for details.

@since Specifies when the module was introduced, with respect to the application, package, release or distribution it is part of. The content can be arbitrary text.

@version Specifies the module version. The content can be arbitrary text.

1.1.8 Function tags

The following tags can be used before a function definition:

@deprecated See the @deprecated module tag [page 5] for details.

@doc XHTML text describing the function. The first sentence of the text is used as a quick summary; this ends at the first period character ('.') or exclamation mark ('!') that is followed by a whitespace character, a line break, or the end of the tag text, and is not within XML markup. (As an exception, the first sentence may be within an initial paragraph element)

@equiv Specify equivalence to another function call/expression. The content must be a proper Erlang expression. If the expression is a function call, a cross-reference to the called function is created automatically. Typically, this tag is used instead of @doc.

@hidden Marks the function so that it will not appear in the documentation (even if "private" documentation is generated). Useful for debug/test functions, etc. The content can be used as a comment; it is ignored by EDoc.

@private Marks the function as private (i.e., not part of the public interface), so that it will not appear in the normal documentation. (If "private" documentation is generated, the function will be included.) Only useful for exported functions, e.g. entry points for spawn. (Non-exported functions are always "private".) The content can be used as a comment; it is ignored by EDoc.

@see Make a reference to a module, function, datatype, or application. (See References [page 7].) The content consists of a reference, optionally followed by a period ('.'), one or more whitespace characters, and XHTML text to be used for the label; for example "@see edoc" or "@see edoc. EDoc". If no label text is specified, the reference itself is used as the label.

@since Specifies in what version of the module the function was introduced; cf. the @version module tag [page 6]. The content can be arbitrary text.

@spec Used to specify the function type; see Type specifications [page 12] for syntax details. If the function name is included in the specification, it must match the name in the actual code. When parameter names are not given in the specification, suitable names will be taken from the source code if possible, and otherwise synthesized.

@throws Specifies which types of terms may be thrown by the function, if its execution terminates abruptly due to a call to `erlang:throw(Term)`. The content is a type expression (see Type specifications [page 12]), and can be a union type.

Note that exceptions of type `exit` (as caused by calls to `erlang:exit(Term)`) and `error` (run-time errors such as `badarg` or `badarith`) are not viewed as part of the normal interface of the function, and cannot be documented with the @throws tag.

@type See the @type generic tag [page 4] for details. Placing a @type tag by a function definition may be convenient, but does not affect where the description is placed in the generated documentation.

1.1.9 References

In several contexts (@see tags, @link macros, etc.), EDoc lets you refer to the generated documentation for modules, functions, datatypes, and applications, using a simple and compact syntax. The possible formats for references are:

<i>Reference syntax</i>	<i>Example</i>	<i>Scope</i>
Module	edoc_run [page 37], erl.lang.list	Global
Package.*	erl.lang.*	Global
Function/Arity	file/2	Within module
Module:Function/Arity	edoc:application/2 [page 22]	Global
Type()	filename()	Within module
Module:Type()	edoc:edoc_module() [page 22]	Global
//Application	[edoc]	Global
//Application/Module	[edoc:doclet(3)]	Global
//Application/Module:Function/Arity	[edoc_run:file/1]	Global
//Application/Module:Type()	[edoc:edoc_module()]	Global

Table 1.1: reference syntax

EDoc will resolve references using the information it finds in `edoc-info`-files at the locations specified with the `doc_path` option. EDoc will automatically (and somewhat intelligently) try to find any local `edoc-info`-files using the current code path, and add them to the end of the `doc_path` list. The target doc-directory is also searched for an existing info file; this allows documentation to be built incrementally. (Use the `new` option to ignore any old info file.)

Note that if the name of a module, function or datatype is explicitly qualified with an application (as in `//edoc/edoc_run`), this overrides any other information about that name, and the reference will be made relative to the location of the application (if it can be found). This makes it possible to refer to e.g. a module `fred` as `//foo/fred` without accidentally getting a reference to `//bar/fred`. You should not use this form of explicit references for names that are local to the application you are currently creating - they will always be resolved correctly.

Note that module-local references such as `file/2` only work properly within a module. In an overview-page like this (i.e., the one you are currently reading), no module context is available.

1.1.10 Notes on XHTML

In several places, XHTML markup can be used in the documentation text, in particular in @doc tags. The main differences from HTML are the following:

- All elements must have explicit start and end tags, and be correctly nested. This means that you cannot e.g. write a `` tag without also writing a corresponding `` tag in the right place. This could be an annoyance at times, but has the great advantage that EDoc can report all malformed XHTML in your source code, rather than propagate the errors to the generated documentation.
- XHTML tag and attribute names should always be lower-case.
- Attributes must be quoted, as in e.g. ``.

To write an element like the HTML `
`, which has no actual content, you can write either the full `
</br>`, or better, use the XHTML abbreviated form `
`.

Since the purpose of EDoc is to document programs, there is also a limited form of “wiki”-syntax available for making program code easier to write inline (and to make the doc-comments easier to read). See Wiki notation [page 8] for details.

The HTML heading tags `h1` and `h2` are reserved for use by EDoc. Headings in documentation source code should start at `h3`. There is however a special syntax for writing headings which avoids using specific level numbers altogether; see Headings [page 9] for details.

EDoc uses [XMerL] to parse and export XML markup.

1.1.11 Wiki notation

When EDoc parses XHTML, it does additional pre- and post-processing of the text in order to expand certain notation specific to EDoc into proper XHTML markup. This “wiki” (<http://en.wikipedia.org/wiki/Wiki>¹) notation is intended to make it easier to write source code documentation.

Empty lines separate paragraphs

Leaving an empty line in XHTML text (i.e., a line which except for any leading start-of-comment `'` characters contains only whitespace), will make EDoc split the text before and after the empty line into separate paragraphs. For example:

```
%% @doc This will all be part of the first paragraph.  
%% It can stretch over several lines and contain <em>any  
%% XHTML markup</em>.  
%%  
%% This is the second paragraph. The above line is  
%% regarded as "empty" by EDoc, even though it ends with  
%% a space.
```

will generate the following text:

```
This will all be part of the first paragraph. It can stretch over several lines and contain any XHTML markup.  
This is the second paragraph. The above line is regarded as “empty” by EDoc, even though it ends with a space.
```

Paragraph splitting takes place after the actual XHTML parsing. It only affects block-level text, and not e.g., text within `<pre>` markup, or text that is already within `<p>` markup.

¹URL: <http://en.wikipedia.org/wiki/Wiki>

Headings

Section headings, sub-headings, and sub-sub-headings, can be written using the following notation:

```
== Heading ==
=== Sub-heading ===
==== Sub-sub-heading ====
```

Such a heading must be alone on a line, except for whitespace, and cannot be split over several lines. A link target is automatically created for the heading, by replacing any whitespace within the text by a single underscore character. E.g.,

```
== Concerning Hobbits ==
```

is equivalent to

```
<h3><a name="ConcerningHobbits">Concerning Hobbits</a></h3>
```

Thus, headings using this notation should not contain characters that may not be part of URL labels, except for whitespace. If you need to create such headings, you have to use the explicit XHTML markup.

A hypertext link to a heading written this way can be created using the `@section` macro, which transforms the argument text into a label as described above. E.g.,

```
{@section Concerning Hobbits}
```

is equivalent to writing

```
<a href="#ConcerningHobbits">Concerning Hobbits</a>
```

The above expansions take place before XML parsing.

External links

Writing a URL within brackets, as in “[<http://www.w3c.org/>]”, will generate a hyperlink such as <http://www.w3c.org/>², using the URL both for the destination and the label of the reference, equivalent to writing “<tt>http://www.w3c.org/</tt>”. This short-hand keeps external URL references short and readable. The recognized protocols are `http`, `ftp`, and `file`. This expansion takes place before XML parsing.

TODO-notes

Lines that begin with the text “TODO:” (the colon is required) are recognized as tags, as if they had been written as “@todo ...” (see `@todo` tags [page 4] for further details).

²URL: <http://www.w3c.org/>

Verbatim quoting

In XHTML text, the `'` character (Unicode 000060, known as “grave accent” or “back-quote”) can be used for verbatim quoting. This expansion takes place before XML parsing.

- A character sequence `‘...’` or `‘‘...’’` will be expanded to `<code>...</code>`, where all occurrences of the special XML characters `'<` and `'&` (and for completeness, also `'>`) in the quoted text have been escaped to `<`, `&`, and `>`, respectively. All whitespace is stripped from the beginning and end of the quoted text. Double back-quotes `‘‘...’’` can be used to quote text containing single `'` characters. The automatic stripping of any surrounding whitespace makes it possible to write things like `‘‘ ’foo@bar’ ’’`. To quote text containing `‘’’` verbatim, explicit `<code>` markup or similar must be used.
- A character sequence `‘‘‘...’’’` will be expanded to `<pre><![CDATA[...]]></pre>`, which disables all XML markup within the quoted text, and displays the result in fixed-font with preserved indentation. Whitespace is stripped from the end of the quoted text, but not from the beginning, except for whole leading lines of whitespace. This is useful for multi-line code examples, or displayed one-liners.
- To produce a single `'`-character in XML without beginning a new quote, you can write `‘’` (no space between the `'` and the `'`). You can of course also use the XML character entity ```.

Examples:

```
%% @doc ...where the variable 'Foo' refers to...

%% @doc ...returns the atom ‘ ’foo@erlang.org’ ’...

%% @doc ...use the command ‘‘erl -name foo’’ to...

%% @doc ...as in the following code:
%% ‘‘f(X) ->
%%     case X of
%%         ...
%%     end’’

%% @doc ...or in the following:
%% ‘‘‘
%%     g(X) ->
%%         fun () -> ... end
%% ’’’
```

1.1.12 Macro expansion

Before the content of a tag is parsed, the text undergoes *macro expansion*. The syntax for macro calls is:

```
{@name}
```

or

```
{@name argument}
```

where *name* and *argument* are separated by one or more whitespace characters. The argument can be any text, which may contain other macro calls. The number of non-escaped “{@” and “}” delimiters must be balanced.

The argument text is first expanded in the current environment, and the result is bound to the *macro parameter*, written {@?}. (If no argument is given, {@?} is bound to the empty string.) The macro definition is then substituted for the call, and expansion continues over the resulting text. Recursive macro expansions are not allowed.

User-defined macros

Users can define their own macros by using the `def EDoc` option; see `edoc:file/2` [page 23] and `edoc:get_doc/2` [page 24] for more information. User-defined macros override predefined macros.

Predefined macros

`{@date}` Expands to the current date, as “Month Day Year”, e.g. “Feb 5 2008”.

`{@docRoot}` Expands to the relative URL path (such as “../..”) from the current page to the root directory of the generated documentation. This can be used to create XHTML references such as `` that are independent of how deep down in a package structure they occur. If packages are not used (i.e., if all modules are in the “empty” package), `{@docRoot}` will always resolve to the empty string.

`{@link reference. description}` This creates a hypertext link; cf. the `@see` function tag [page 6] above for details. The description text (including the period separator) is optional; if no text is given, the reference itself is used. For example, `{@link edoc:file/2}` creates the link `edoc:file/2` [page 23], and `{@link edoc:file/2. this link}` creates this link [page 23].

`{@module}` Expands to the name of the current module. Only defined when a module is being processed.

`{@package}` Expands to the name of the current package.

`{@section heading}` Expands to a hypertext link to the specified section heading; see Headings [page 9] for more information.

`{@time}` Expands to the current time, as “Hr:Min:Sec”, e.g. “18:57:00”.

`{@type type-expression}` Formats a type expression within `<code>...</code>` markup and with hypertext links for data types. For example, `{@type {options, List::edoc:option_list()}@}` generates “`{options, List::edoc:option_list()}`”. (Cf. Escape sequences [page 11].)

`{@version}` Intended for use in `@version` tags [page 6]. Defaults to a timestamp using `{@date}` and `{@time}`. Typically, this macro is redefined by the user when an official release of the application is generated.

Escape sequences

To prevent certain characters from being interpreted as delimiters, for example to produce the text “{@” in the output, or use a ‘}’ character in the argument text of a macro call, the following escape sequences may be used:

`@{` Expands to “{”. Example:

```
%% @doc A macro call starts with the sequence "@{@".
```

@} Expands to "}". Example:

```
%% @doc ...{@foo ...{Key, Value@}...}...
```

@@ Expands to "@". Example:

```
%% @doc Contact us at support@@{@hostname}
```

Will generate the text "Contact us at support@vaporware.acme.com" if the macro hostname is bound to "vaporware.acme.com". Also:

```
%% @doc You might want to write something like
%% @@foo that will expand to @foo and does not start
%% a new tag even if it appears first in a line.
```

1.1.13 Type specifications

Function specifications

The following grammar describes the form of the specifications following a @spec tag. A '?' suffix implies that the element is optional. Function types have higher precedence than union types; e.g., "(atom() -> atom() | integer())" is parsed as ((atom() -> atom()) | integer()), not as (atom() -> (atom() | integer())).

```
Spec ::= FunType "where"? DefList? | FunctionName FunType "where"? DefList?
FunctionName ::= Atom
FunType ::= "(" UnionTypes? ")" "->" UnionType
UnionTypes ::= UnionType | UnionType "," UnionTypes
UnionType ::= UnionList | Name "::" UnionList
Name ::= Variable
UnionList ::= Type | Type "+" UnionList | Type "|" UnionList
Type ::= TypeVariable | Atom | Integer | Float | FunType | "{" UnionTypes? "}" | "["
 "]" | "[" UnionType "]" | "(" UnionType ")" | TypeName "(" UnionTypes? ")" |
ModuleName ":" TypeName "(" UnionTypes? ")" | "/" AppName "/" ModuleName ":"
TypeName "(" UnionTypes? ")"
TypeVariable ::= Variable
TypeName ::= Atom
ModuleName ::= Atom | ModuleName "." Atom
AppName ::= Atom
DefList ::= Def | DefList Def | DefList "," Def
Def ::= TypeVariable "=" UnionType | TypeName "(" TypeVariables? ")" "=" UnionType
TypeVariables ::= TypeVariable | TypeVariable "," TypeVariables
Examples:
```

```
%% @spec my_function(X::integer()) -> integer()
```

```
%% @spec (X::integer()) -> integer()
```

```
%% @spec sqrt(float()) -> float()
```

```
%% @spec pair(S, T) -> {S, T}
```



```

%% @spec append(List, List) -> List
%%     List = [term()]

%% @spec append(A::List, B::List) -> List
%%     List = [Item]
%%     Item = term()

%% @spec open(File::filename()) -> FileDescriptor
%% where
%%     filename() = string() + atom(),
%%     FileDescriptor = term()

%% @spec close(graphics:window()) -> ok

```

In the above examples, *X*, *A*, *B*, and *File* are parameter names, used for referring to the parameters from the documentation text. The *type variables* *S*, *T* and *List* are used to simplify the type specifications, and may be supplied with definitions. It is also possible to give definitions for named types, which means that the name is simply an alias. (Use the `@type` tag to document abstract data types.) If a named type is defined in another module, it can be referred to as `Module:TypeName(...)`. Note that the keyword `'where'` is optional before a list of definitions, and that the definitions in the list may optionally be separated by `','`.

Both the `'|'` and the `'+'` character may be used to separate alternatives in union types; there is no semantic difference. Note that the notation `[Type]` means “proper (nil-terminated) list whose elements all belong to *Type*”; For example, `[atom()|integer()]` means the same thing as `[atom()+integer()]`, i.e., a proper list of atoms and/or integers.

If only a type variable is given for a parameter, as in “`pair(S, T) -> ...`”, the same variable name may implicitly be used as the parameter name; there is no need to write “`pair(S::S, T::T) -> ...`”.

EDoc automatically extracts possible parameter names from the source code, to be used if no parameter name is given in the specification (or if the specification is missing altogether). If this fails, EDoc will generate a dummy parameter name, such as `X1`. This way, EDoc can often produce helpful documentation even for code that does not contain any annotations at all.

Type definitions

The following grammar (see above for auxiliary definitions) describes the form of the definitions that may follow a `@type` tag:

```

Typedef ::= TypeName "(" TypeVariables? ")" DefList? | TypeName "(" TypeVariables?
)" "=" UnionType DefList?

```

(For a truly abstract data type, no equivalence is specified.) The main definition may be followed by additional local definitions. Examples:

```

%% @type myList(X). A special kind of lists ...

%% @type filename() = string(). Atoms not allowed!

%% @type thing(A) = {thong, A}
%%     A = term().
%%     A kind of wrapper type thingy.

```

Pre-defined data types

The following data types are predefined by EDoc, and may not be redefined:

```
any()
atom()
binary()
bool()
char()
cons()
deep_string()
float()
function()
integer()
list()
nil()
none()
number()
pid()
port()
reference()
string()
term()
tuple()
```

Details:

- `any()` means “any Erlang data type”. `term()` is simply an alias for `any()`.
- `atom()`, `binary()`, `float()`, `function()`, `integer()`, `pid()`, `port()` and `reference()` are primitive data types of the Erlang programming language.
- `bool()` is the subset of `atom()` consisting of the atoms `true` and `false`.
- `char()` is a subset of `integer()` representing character codes.
- `tuple()` is the set of all tuples `{...}`.
- `list(T)` is just an alias for `[T]`.
- `nil()` is an alias for the empty list `[]`.
- `cons(H,T)` is the list constructor. This is usually not used directly. It is possible to recursively define `list(T) := nil()+cons(T,list(T))`.
- `string()` is an alias for `[char()]`.
- `deep_string()` is recursively defined as `[char()+deep_string()]`.
- `none()` means “no data type”. E.g., a function that never returns has type `(...) -> none()`

1.1.14 Acknowledgements

Since the first version of EDoc, several people have come up with suggestions (Luke Gorrie, Joe Armstrong, Erik Stenman, Sean Hinde, Ulf Wiger, ...), and some have even submitted code to demonstrate their ideas (Vlad Dumitrescu, Johan Blom, Vijay Hirani, ...). None of that code was actually included in the Great Rewriting that followed the initial public release (EDoc version 0.1), but most of the central points were addressed in the new system, such as better modularization and

possibility to plug in different layout engines, and making EDoc understand the application directory layout.

It is now getting too hard to keep track of all the people who have made further suggestions or submitted bug reports, but your input is always appreciated. Thank you.

EDoc Reference Manual

Short Summaries

- Erlang Module **edoc** [page 22] – EDoc - the Erlang program documentation generator.
- Erlang Module **edoc_doclet** [page 28] – Standard doclet module for EDoc.
- Erlang Module **edoc_extract** [page 30] – EDoc documentation extraction.
- Erlang Module **edoc_layout** [page 33] – The standard HTML layout module for EDoc.
- Erlang Module **edoc_lib** [page 34] – Utility functions for EDoc.
- Erlang Module **edoc_run** [page 37] – Interface for calling EDoc from Erlang startup options.

edoc

The following functions are exported:

- `application(Application::atom()) -> ok`
[page 22] Equivalent to `application(Application, [])`.
- `application(Application::atom(), Options::proplist()) -> ok`
[page 22] Run EDoc on an application in its default app-directory.
- `application(Application::atom(), Dir::filename(), Options::proplist()) -> ok`
[page 22] Run EDoc on an application located in the specified directory.
- `file(Name::filename()) -> ok`
[page 23] Equivalent to `file(Name, [])`.
- `file(Name::filename(), Options::proplist()) -> ok`
[page 23] Reads a source code file and outputs formatted documentation to a corresponding file.
- `files(Files::[filename() | {package(), [filename()]}]) -> ok`
[page 23] Equivalent to `packages(Packages, [])`.
- `files(Files::[filename() | {package(), [filename()]}], Options::proplist()) -> ok`
[page 23] Runs EDoc on a given set of source files.
- `get_doc(File::filename()) -> {ModuleName, edoc_module()}`
[page 23] Equivalent to `get_doc(File, [])`.

- `get_doc(File::filename(), Options::proplist()) -> {ModuleName, edoc_module()}`
[page 23] Reads a source code file and extracts EDoc documentation data.
- `get_doc(File::filename(), Env::edoc_env() (see module edoc_lib), Options::proplist()) -> {ModuleName, edoc_module()}`
[page 23] Like `get_doc/2`, but for a given environment parameter.
- `layout(Doc::edoc_module()) -> string()`
[page 24] Equivalent to `layout(Doc, [])`.
- `layout(Doc::edoc_module(), Options::proplist()) -> string()`
[page 24] Transforms EDoc module documentation data to text.
- `packages(Packages::[package()]) -> ok`
[page 24] Equivalent to `packages(Packages, [])`.
- `packages(Packages::[package()], Options::proplist()) -> ok`
[page 24] Runs EDoc on a set of packages.
- `read(File::filename()) -> string()`
[page 25] Equivalent to `read(File, [])`.
- `read(File::filename(), Options::proplist()) -> string()`
[page 25] Reads and processes a source file and returns the resulting EDoc-text as a string.
- `read_comments(File) -> [comment()]`
[page 25] Equivalent to `read_comments(File, [])`.
- `read_comments(File::filename(), Options::proplist()) -> [comment()]`
[page 25] Extracts comments from an Erlang source code file.
- `read_source(Name::File) -> [syntaxTree()]`
[page 25] Equivalent to `read_source(File, [])`.
- `read_source(File::filename(), Options::proplist()) -> [syntaxTree()]`
[page 25] Reads an Erlang source file and returns the list of "source code form" syntax trees.
- `run(Packages::[package()], Files::[filename() | {package(), filename()}], Options::proplist()) -> ok`
[page 26] Runs EDoc on a given set of source files and/or packages.

edoc_doclet

The following functions are exported:

- `run(Command::doclet_gen() | doclet_toc(), Ctxt::edoc_context()) -> ok`
[page 28] Main doclet entry point.

edoc_extract

The following functions are exported:

- `file(File::filename(), Context, Env::edoc_env(), Options::proplist()) -> {ok, Tags} | {error, Reason}`
[page 30] Reads a text file and returns the list of tags in the file.

- `header(File::filename(), Env::edoc_env(), Options::proplist()) -> {ok, Tags} | {error, Reason}`
[page 30] Similar to `header/5`, but reads the syntax tree and the comments from the specified file.
- `header(Forms, File::filename(), Env::edoc_env(), Options::proplist()) -> {ok, Tags} | {error, Reason}`
[page 30] Extracts EDoc documentation from commented header file syntax trees.
- `header(Forms, Comments::[comment()], File::filename(), Env::edoc_env(), Options::proplist()) -> {ok, Tags} | {error, Reason}`
[page 30] Similar to `header/4`, but first inserts the given comments in the syntax trees.
- `source(File::filename(), Env::edoc_env(), Options::proplist()) -> {ModuleName, edoc_module()}`
[page 31] Like `source/5`, but reads the syntax tree and the comments from the specified file.
- `source(Forms, File::filename(), Env::edoc_env(), Options::proplist()) -> {ModuleName, edoc_module()}`
[page 31] Extracts EDoc documentation from commented source code syntax trees.
- `source(Forms, Comments::[comment()], File::filename(), Env::edoc_env(), Options::proplist()) -> {ModuleName, edoc_module()}`
[page 31] Like `source/4`, but first inserts the given comments in the syntax trees.
- `text(Text::string(), Context, Env::edoc_env(), Options::proplist()) -> Tags`
[page 32] Returns the list of tags in the text.

edoc_layout

The following functions are exported:

- `module() -> term()`
[page 33] The layout function.
- `overview() -> term()`
[page 33]
- `package() -> term()`
[page 33]
- `type() -> term()`
[page 33]

edoc_lib

The following functions are exported:

- `copy_file() -> term()`
[page 34]
- `count() -> term()`
[page 34]

- `datestr()` -> `term()`
[page 34]
- `escape_uri()` -> `term()`
[page 34]
- `filename()` -> `term()`
[page 34]
- `find_doc_dirs()` -> `term()`
[page 34]
- `find_file()` -> `term()`
[page 34]
- `find_sources()` -> `term()`
[page 34]
- `find_sources()` -> `term()`
[page 34] See `edoc:run/3` for a description of the options subpackages, `source_suffix` and `exclude_packages`.
- `get_doc_env(Options::proplist())` -> `edoc_env()`
[page 34] Equivalent to `get_doc_env([], [], [], Opts)`.
- `get_doc_env(App, Packages, Modules, Options::proplist())` -> `edoc_env()`
[page 34] Creates an environment data structure used by parts of EDoc for generating references, etc.
- `get_first_sentence()` -> `term()`
[page 35]
- `is_name()` -> `term()`
[page 35]
- `is_relative_uri()` -> `term()`
[page 35]
- `is_space()` -> `term()`
[page 35]
- `join_uri()` -> `term()`
[page 35]
- `lines()` -> `term()`
[page 35]
- `parse_contact()` -> `term()`
[page 35] EDoc "contact information" parsing.
- `parse_expr()` -> `term()`
[page 35] EDoc Erlang expression parsing.
- `read_info_file()` -> `term()`
[page 35]
- `run_doclet()` -> `term()`
[page 35] See `edoc:run/3` for a description of the doclet option.
- `run_layout()` -> `term()`
[page 35] See `edoc:layout/2` for a description of the layout option.
- `segment()` -> `term()`
[page 35]
- `simplify_path()` -> `term()`
[page 35]

- `split_at()` -> `term()`
[page 35]
- `split_at_space()` -> `term()`
[page 36]
- `split_at_stop()` -> `term()`
[page 36]
- `strip_space()` -> `term()`
[page 36]
- `timestr()` -> `term()`
[page 36]
- `to_label()` -> `term()`
[page 36]
- `transpose()` -> `term()`
[page 36]
- `try_subdir()` -> `term()`
[page 36]
- `unique()` -> `term()`
[page 36]
- `uri_get()` -> `term()`
[page 36]
- `write_file(Text::deep_string(), Dir::filename() (see module edoc), Name::filename() (see module edoc))` -> `ok`
[page 36] Write the given `Text` to the file named by `Name` in directory `Dir`.
- `write_file(Text::deep_string(), Dir::filename() (see module edoc), Name::filename() (see module edoc), Package::atom() | string())` -> `ok`
[page 36] Like `write_file/3`, but adds path components to the target directory corresponding to the specified package.
- `write_info_file()` -> `term()`
[page 36]

edoc_run

The following functions are exported:

- `application(Args::[string()])` -> `none()`
[page 37] Calls `edoc:application/3` with the corresponding arguments.
- `file(Args::[string()])` -> `none()`
[page 37] Calls `edoc:file/2` with the corresponding arguments.
- `files(Args::[string()])` -> `none()`
[page 37] Calls `edoc:files/2` with the corresponding arguments.
- `packages(Args::[string()])` -> `none()`
[page 38] Calls `edoc:application/2` with the corresponding arguments.

edoc

Erlang Module

EDoc - the Erlang program documentation generator.
This module provides the main user interface to EDoc.

- EDoc User Manual [page 1]
- Running EDoc [page 2]

DATA TYPES

`edoc_module()` The EDoc documentation data for a module, expressed as an XML document in [XMerL] format. See the file `edoc.dtd`¹ for details.

`filename() = filename()` (see module `//kernel/file`)

`package() = atom() | string()`

`proplist() = [term()]`

`syntaxTree() = syntaxTree()` (see module `//syntax_tools/erl_syntax`)

Exports

`application(Application::atom()) -> ok`

Equivalent to `application(Application, [])` [page 22].

`application(Application::atom(), Options::proplist()) -> ok`

Run EDoc on an application in its default app-directory. See `application/3` [page 22] for details.

See *also*: `application/1` [page 22].

`application(Application::atom(), Dir::filename(), Options::proplist()) -> ok`

Run EDoc on an application located in the specified directory. Tries to automatically set up good defaults. Unless the user specifies otherwise:

- The `doc` subdirectory will be used as the target directory, if it exists; otherwise the application directory is used.
- The source code is assumed to be located in the `src` subdirectory, if it exists, or otherwise in the application directory itself.

¹URL: `../../priv/edoc.dtd`

- The `subpackages` [page 26] option is turned on. All found source files will be processed.
- The `include` subdirectory is automatically added to the include path. (Only important if preprocessing [page 25] is turned on.)

See `run/3` [page 26] for details, including options.

See also: `application/2` [page 22].

```
file(Name::filename()) -> ok
```

This function is deprecated: See `file/2` [page 23] for details.

Equivalent to `file(Name, [])` [page 23].

```
file(Name::filename(), Options::proplist()) -> ok
```

This function is deprecated: This is part of the old interface to EDoc and is mainly kept for backwards compatibility. The preferred way of generating documentation is through one of the functions `application/2` [page 22], `packages/2` [page 25] and `files/2` [page 23].

Reads a source code file and outputs formatted documentation to a corresponding file.

Options:

`{dir, filename()}` Specifies the output directory for the created file. (By default, the output is written to the directory of the source file.)

`{source_suffix, string()}` Specifies the expected suffix of the input file. The default value is `".erl"`.

`{file_suffix, string()}` Specifies the suffix for the created file. The default value is `".html"`.

See `get_doc/2` [page 24] and `layout/2` [page 24] for further options.

For running EDoc from a Makefile or similar, see `edoc_run:file/1` [page 37].

See also: `read/2` [page 25].

```
files(Files::[filename() | {package(), [filename()]}]) -> ok
```

Equivalent to `packages(Packages, [])` [page 25].

```
files(Files::[filename() | {package(), [filename()]}], Options::proplist()) -> ok
```

Runs EDoc on a given set of source files. See `run/3` [page 26] for details, including options.

```
get_doc(File::filename()) -> {ModuleName, edoc_module()}
```

Equivalent to `get_doc(File, [])` [page 24].

```
get_doc(File::filename(), Options::proplist()) -> {ModuleName, edoc_module()}
```

Types:

- `ModuleName = atom()`

Reads a source code file and extracts EDoc documentation data. Note that without an environment parameter (see `get_doc/3` [page 24]), [hypertext links](#) may not be correct.

Options:

- `{def, Macros}`
 - `Macros = Macro | [Macro]`
 - `Macro = {Name::atom(), Text::string()}`

Specifies a set of EDoc macro definitions. See [Inline macro expansion](#) [page 10] for details.
- `{hidden, bool()}` If the value is `true`, documentation of hidden functions will also be included. The default value is `false`.
- `{private, bool()}` If the value is `true`, documentation of private functions will also be included. The default value is `false`.
- `{todo, bool()}` If the value is `true`, To-Do notes written using `@todo` or `@TODO` tags will be included in the documentation. The default value is `false`.

See [read_source/2](#) [page 25], [read_comments/2](#) [page 25] and [edoc_lib:get_doc_env/4](#) [page 35] for further options.

See also: [get_doc/3](#) [page 24], [layout/2](#) [page 24], [read/2](#) [page 25], [run/3](#) [page 26], [edoc_extract:source/5](#) [page 32].

```
get_doc(File::filename(), Env::edoc_env() (see module edoc_lib), Options::proplist())
-> {ModuleName, edoc_module()}
```

Types:

- `ModuleName = atom()`

Like [get_doc/2](#) [page 24], but for a given environment parameter. `Env` is an environment created by [edoc_lib:get_doc_env/4](#) [page 35].

```
layout(Doc::edoc_module()) -> string()
```

Equivalent to [layout\(Doc, \[\]\)](#) [page 24].

```
layout(Doc::edoc_module(), Options::proplist()) -> string()
```

Transforms EDoc module documentation data to text. The default layout creates an HTML document.

Options:

- `{layout, Module::atom()}` Specifies a callback module to be used for formatting. The module must export a function `module(Doc, Options)`. The default callback module is [edoc_layout](#) [page 33]; see [edoc_layout:module/2](#) [page 33] for layout-specific options.

See also: [file/2](#) [page 23], [layout/1](#) [page 24], [read/2](#) [page 25], [run/3](#) [page 26].

```
packages(Packages::[package()]) -> ok
```

Equivalent to [packages\(Packages, \[\]\)](#) [page 25].

```
packages(Packages::[package()], Options::proplist()) -> ok
```

Runs EDoc on a set of packages. The `source_path` option is used to locate the files; see `run/3` [page 26] for details, including options. This function automatically appends the current directory to the source path.

```
read(File::filename()) -> string()
```

Equivalent to `read(File, [])` [page 25].

```
read(File::filename(), Options::proplist()) -> string()
```

Reads and processes a source file and returns the resulting EDoc-text as a string. See `get_doc/2` [page 24] and `layout/2` [page 24] for options.

See also: `file/2` [page 23].

```
read_comments(File) -> [comment()]
```

Equivalent to `read_comments(File, [])` [page 25].

```
read_comments(File::filename(), Options::proplist()) -> [comment()]
```

Types:

- {Line, Column, Indentation, Text}
- Line = integer()
- Column = integer()
- Indentation = integer()
- Text = [string()]

Extracts comments from an Erlang source code file. See the module `[erl_comment_scan(3)]` for details on the representation of comments. Currently, no options are available.

```
read_source(Name::File) -> [syntaxTree()]
```

Equivalent to `read_source(File, [])` [page 25].

```
read_source(File::filename(), Options::proplist()) -> [syntaxTree()]
```

Reads an Erlang source file and returns the list of “source code form” syntax trees.

Options:

{preprocess, bool()} If the value is true, the source file will be read via the Erlang preprocessor (epp). The default value is false. `no_preprocess` is an alias for {preprocess, false}.

Normally, preprocessing is not necessary for EDoc to work, but if a file contains too exotic definitions or uses of macros, it will not be possible to read it without preprocessing. *Note: comments in included files will not be available to EDoc, even with this option enabled.*

{includes, Path::[string()]} Specifies a list of directory names to be searched for include files, if the `preprocess` option is turned on. Also used with the `@headerfile` tag. The default value is the empty list. The directory of the source file is always automatically appended to the search path.

`{macros, [{atom(), term()}]}` Specifies a list of pre-defined Erlang preprocessor (epp) macro definitions, used if the `preprocess` option is turned on. The default value is the empty list.

See also: `[erl_syntax(3)]`, `get_doc/2` [page 24].

```
run(Packages::[package()], Files::[filename() | {package(), [filename()]}],
    Options::proplist()) -> ok
```

Runs EDoc on a given set of source files and/or packages. Note that the doclet plugin module has its own particular options; see the `doclet` option below.

Also see `layout/2` [page 24] for layout-related options, and `get_doc/2` [page 24] for options related to reading source files.

Options:

`{app_default, string() }` Specifies the default base URI for unknown applications.

`{application, App::atom() }` Specifies that the generated documentation describes the application `App`. This mainly affects generated references.

`{dir, filename() }` Specifies the target directory for the generated documentation.

`{doc_path, [string()] }` Specifies a list of URI:s pointing to directories that contain EDoc-generated documentation. URI without a `scheme://` part are taken as relative to `file://`. (Note that such paths must use `/` as separator, regardless of the host operating system.)

`{doclet, Module::atom() }` Specifies a callback module to be used for creating the documentation. The module must export a function `run(Cmd, Ctxt)`. The default doclet module is `edoc_doclet` [page 28]; see `edoc_doclet:run/2` [page 28] for doclet-specific options.

`{exclude_packages, [package()] }` Lists packages to be excluded from the documentation. Typically used in conjunction with the `subpackages` option.

`{file_suffix, string() }` Specifies the suffix used for output files. The default value is `".html"`. Note that this also affects generated references.

`{new, bool() }` If the value is `true`, any existing `edoc-info` file in the target directory will be ignored and overwritten. The default value is `false`.

`{packages, bool() }` If the value is `true`, it is assumed that packages (module namespaces) are being used, and that the source code directory structure reflects this. The default value is `true`. (Usually, this does the right thing even if all the modules belong to the top-level “empty” package.) `no_packages` is an alias for `{packages, false}`. See the `subpackages` option below for further details. If the source code is organized in a hierarchy of subdirectories although it does not use packages, use `no_packages` together with the `recursive-search` `subpackages` option (on by default) to automatically generate documentation for all the modules.

`{source_path, [filename()] }` Specifies a list of file system paths used to locate the source code for packages.

`{source_suffix, string() }` Specifies the expected suffix of input files. The default value is `".erl"`.

`{subpackages, bool()}` If the value is `true`, all subpackages of specified packages will also be included in the documentation. The default value is `false`. `no_subpackages` is an alias for `{subpackages, false}`. See also the `exclude_packages` option.

Subpackage source files are found by recursively searching for source code files in subdirectories of the known source code root directories. (Also see the `source_path` option.) Directory names must begin with a lowercase letter and contain only alphanumeric characters and underscore, or they will be ignored. (For example, a subdirectory named `test-files` will not be searched.)

See also: [application/2](#) [page 22], [files/2](#) [page 23], [packages/2](#) [page 25].

edoc_doclet

Erlang Module

Standard doclet module for EDoc.

DATA TYPES

```
doclet_gen() = #doclet_gen{sources=[string()], app=no_app() | atom(), packages=[atom()], mo
```

```
doclet_toc() = #doclet_gen{paths=[string()], indir=string()}
```

```
edoc_context() = #context{dir=string(), env=edoc_env() (see module edoc_lib), opts=[term()]
```

`no_app()` A value used to mark absence of an Erlang application context. Use the macro `NO_APP` defined in `edoc_doclet.hrl`² to produce this value.

Exports

```
run(Command:::doclet_gen() | doclet_toc(), Ctxt:::edoc_context()) -> ok
```

Main doclet entry point. See the file `edoc_doclet.hrl`³ for the data structures used for passing parameters.

Also see `edoc:layout/2` [page 24] for layout-related options, and `edoc:get_doc/2` [page 24] for options related to reading source files.

Options:

`{file_suffix, string()}` Specifies the suffix used for output files. The default value is `".html"`.

`{hidden, bool()}` If the value is `true`, documentation of hidden modules and functions will also be included. The default value is `false`.

`{overview, edoc:filename()}` Specifies the name of the overview-file. By default, this doclet looks for a file `"overview.edoc"` in the target directory.

`{private, bool()}` If the value is `true`, documentation of private modules and functions will also be included. The default value is `false`.

`{stylesheet, string()}` Specifies the URI used for referencing the stylesheet. The default value is `"stylesheet.css"`. If an empty string is specified, no stylesheet reference will be generated.

²URL: `../../include/edoc_doclet.hrl`

³URL: `../../include/edoc_doclet.hrl`

`{stylesheet_file, edoc:filename()}` Specifies the name of the stylesheet file. By default, this doclet uses the file "stylesheet.css" in the `priv` subdirectory of the EDoc installation directory. The named file will be copied to the target directory.

`{title, string()}` Specifies the title of the overview-page.

See also

[edoc](#) [page 22]

edoc_extract

Erlang Module

EDoc documentation extraction.

DATA TYPES

`edoc_env()` = `edoc_env()` (see module `edoc_lib`)

`filename()` = `filename()` (see module `file`)

Exports

```
file(File::filename(), Context, Env::edoc_env(), Options::proplist()) -> {ok, Tags} |  
{error, Reason}
```

Types:

- Context = overview | package
- Tags = [term()]
- Reason = term()

Reads a text file and returns the list of tags in the file. Any lines of text before the first tag are ignored. `Env` is an environment created by `edoc_lib:get_doc_env/4` [page 35]. Upon error, `Reason` is an atom returned from the call to `[file:read_file/1]`.

See `text/4` [page 32] for options.

```
header(File::filename(), Env::edoc_env(), Options::proplist()) -> {ok, Tags} |  
{error, Reason}
```

Types:

- Tags = [term()]
- Reason = term()

Similar to `header/5` [page 31], but reads the syntax tree and the comments from the specified file.

See also: `header/4` [page 31], `edoc:read_comments/2` [page 25], `edoc:read_source/2` [page 25].

```
header(Forms, File::filename(), Env::edoc_env(), Options::proplist()) -> {ok, Tags} |  
{error, Reason}
```

Types:

- Forms = syntaxTree() | [syntaxTree()]

- Tags = [term()]
- Reason = term()

Extracts EDoc documentation from commented header file syntax trees. Similar to `source/5` [page 32], but ignores any documentation that occurs before a module declaration or a function definition. (Warning messages are printed if content may be ignored.) `Env` is assumed to already be set up with a suitable module context.

See also: `[erl_recomment(3)]`, `header/5` [page 31].

```
header(Forms, Comments::[comment()], File::filename(), Env::edoc_env(),
       Options::proplist()) -> {ok, Tags} | {error, Reason}
```

Types:

- Forms = syntaxTree() | [syntaxTree()]
- Tags = [term()]
- Reason = term()

Similar to `header/4` [page 31], but first inserts the given comments in the syntax trees. The syntax trees must contain valid position information. (Cf. `edoc:read_comments/2` [page 25].)

See also: `[erl_recomment(3)]`, `header/3` [page 30], `header/4` [page 31].

```
source(File::filename(), Env::edoc_env(), Options::proplist()) -> {ModuleName,
                           edoc_module()}
```

Types:

- ModuleName = atom()

term()

Like `source/5` [page 32], but reads the syntax tree and the comments from the specified file.

See also: `source/4` [page 31], `edoc:read_comments/2` [page 25], `edoc:read_source/2` [page 25].

```
source(Forms, File::filename(), Env::edoc_env(), Options::proplist()) -> {ModuleName,
                           edoc_module()}
```

Types:

- Forms = syntaxTree() | [syntaxTree()]
- ModuleName = atom()
- `edoc_module()` (see module `edoc`)

Extracts EDoc documentation from commented source code syntax trees. The given `Forms` must be a single syntax tree of type `form_list`, or a list of syntax trees representing “program forms” (cf. `edoc:read_source/2` [page 25]). `Env` is an environment created by `edoc_lib:get_doc_env/4` [page 35]. The `File` argument is used for error reporting and output file name generation only.

See `edoc:get_doc/2` [page 24] for descriptions of the `def`, `hidden`, `private`, and `todo` options.

See also: `[erl_recomment(3)]`, `source/5` [page 32], `edoc:read_comments/2` [page 25], `edoc:read_source/2` [page 25].

```
source(Forms, Comments::[comment()], File::filename(), Env::edoc_env(),
       Options::proplist()) -> {ModuleName, edoc_module()}
```

Types:

- Forms = syntaxTree() | [syntaxTree()]
- {Line, Column, Indentation, Text}
- Line = integer()
- Column = integer()
- Indentation = integer()
- Text = [string()]
- ModuleName = atom()

Like source/4 [page 31], but first inserts the given comments in the syntax trees. The syntax trees must contain valid position information. (Cf. edoc:read_comments/2 [page 25].)

See also: [erl_recomment(3)], source/3 [page 31], source/4 [page 31], edoc:read_comments/2 [page 25], edoc:read_source/2 [page 25].

```
text(Text::string(), Context, Env::edoc_env(), Options::proplist()) -> Tags
```

Types:

- Context = overview | package
- Tags = [term()]

Returns the list of tags in the text. Any lines of text before the first tag are ignored. Env is an environment created by edoc.lib:get_doc_env/4 [page 35].

See source/4 [page 31] for a description of the def option.

See also

edoc [page 22]

edoc_layout

Erlang Module

The standard HTML layout module for EDoc. See the `edoc` [page 22] module for details on usage.

Exports

`module()` -> `term()`

The layout function.

Options to the standard layout:

`{index_columns, integer()}` Specifies the number of column pairs used for the function index tables. The default value is 1.

`{stylesheet, string()}` Specifies the URI used for referencing the stylesheet. The default value is "stylesheet.css". If an empty string is specified, no stylesheet reference will be generated.

`{sort_functions, bool()}` If true, the detailed function descriptions are listed by name, otherwise they are listed in the order of occurrence in the source file. The default value is true.

`{xml_export, Module::atom()}` Specifies an [xmerl] callback module to be used for exporting the documentation. See [xmerl:export_simple/3] for details.

See also: `edoc:layout/2` [page 24].

`overview()` -> `term()`

`package()` -> `term()`

`type()` -> `term()`

See also

`edoc` [page 22]

edoc_lib

Erlang Module

Utility functions for EDoc.

DATA TYPES

`edoc_env()` Environment information needed by EDoc for generating references. The data representation is not documented.

`info()` = `#info{name=string(), mail=string(), uri=string()}`

Exports

`copy_file()` -> `term()`

`count()` -> `term()`

`datestr()` -> `term()`

`escape_uri()` -> `term()`

`filename()` -> `term()`

`find_doc_dirs()` -> `term()`

`find_file()` -> `term()`

`find_sources()` -> `term()`

`find_sources()` -> `term()`

See `edoc:run/3` [page 26] for a description of the options `subpackages`, `source_suffix` and `exclude_packages`.

`get_doc_env(Options::proplist())` -> `edoc_env()`

Equivalent to `get_doc_env([], [], [], Opts)` [page 35].

`get_doc_env(App, Packages, Modules, Options::proplist())` -> `edoc_env()`

Types:

- App = [] | atom()
- Packages = [atom()]
- Modules = [atom()]

term()

Creates an environment data structure used by parts of EDoc for generating references, etc. See `edoc:run/3` [page 26] for a description of the options `file_suffix`, `app.default` and `doc_path`.

See also: `edoc:get_doc/3` [page 24], `edoc_extract:source/4` [page 31].

`get_first_sentence()` -> term()

`is_name()` -> term()

`is_relative_uri()` -> term()

`is_space()` -> term()

`join_uri()` -> term()

`lines()` -> term()

`parse_contact()` -> term()

EDoc “contact information” parsing. This is the type of the content in e.g. `@author` [page 5] tags.

`parse_expr()` -> term()

EDoc Erlang expression parsing. For parsing things like the content of `@equiv` [page 6] tags, and strings denoting file names, e.g. in `@headerfile`. Also used by `edoc_run` [page 37].

`read_info_file()` -> term()

`run_doclet()` -> term()

See `edoc:run/3` [page 26] for a description of the `doclet` option.

`run_layout()` -> term()

See `edoc:layout/2` [page 24] for a description of the `layout` option.

`segment()` -> term()

`simplify_path()` -> term()

`split_at()` -> term()

`split_at_space()` -> term()

`split_at_stop()` -> term()

`strip_space()` -> term()

`timestr()` -> term()

`to_label()` -> term()

`transpose()` -> term()

`try_subdir()` -> term()

`unique()` -> term()

`uri_get()` -> term()

`write_file(Text::deep_string(), Dir::filename() (see module edoc), Name::filename()
(see module edoc)) -> ok`

Write the given `Text` to the file named by `Name` in directory `Dir`. If the target directory does not exist, it will be created.

`write_file(Text::deep_string(), Dir::filename() (see module edoc), Name::filename()
(see module edoc), Package::atom() | string()) -> ok`

Like `write_file/3` [page 36], but adds path components to the target directory corresponding to the specified package.

`write_info_file()` -> term()

See also

`edoc` [page 22]

edoc_run

Erlang Module

Interface for calling EDoc from Erlang startup options.

The following is an example of typical usage in a Makefile:

```
docs:
    erl -noshell -run edoc_run application "'$(APP_NAME)'" \n
```

(note the single-quotes to avoid shell expansion, and the double-quotes enclosing the strings).

New feature in version 0.6.9: It is no longer necessary to write `-s init stop` last on the command line in order to make the execution terminate. The termination (signalling success or failure to the operating system) is now built into these functions.

Exports

`application(Args::[string()]) -> none()`

Calls `edoc:application/3` [page 22] with the corresponding arguments. The strings in the list are parsed as Erlang constant terms. The list can be either `[App]`, `[App, Options]` or `[App, Dir, Options]`. In the first case `edoc:application/1` [page 22] is called instead; in the second case, `edoc:application/2` [page 22] is called.

The function call never returns; instead, the emulator is automatically terminated when the call has completed, signalling success or failure to the operating system.

`file(Args::[string()]) -> none()`

This function is deprecated: This is part of the old interface to EDoc and is mainly kept for backwards compatibility. The preferred way of generating documentation is through one of the functions `application/1` [page 37], `packages/1` [page 38] and `files/1` [page 38].

Calls `edoc:file/2` [page 23] with the corresponding arguments. The strings in the list are parsed as Erlang constant terms. The list can be either `[File]` or `[File, Options]`. In the first case, an empty list of options is passed to `edoc:file/2` [page 23].

The following is an example of typical usage in a Makefile:

```
$(DOCDIR)/%.html:%.erl
    erl -noshell -run edoc_run file '$<' '{dir,"$(DOCDIR)"}' \n
```

The function call never returns; instead, the emulator is automatically terminated when the call has completed, signalling success or failure to the operating system.

`files(Args::[string()]) -> none()`

Calls `edoc:files/2` [page 23] with the corresponding arguments. The strings in the list are parsed as Erlang constant terms. The list can be either `[Files]` or `[Files, Options]`. In the first case, `edoc:files/1` [page 23] is called instead.

The function call never returns; instead, the emulator is automatically terminated when the call has completed, signalling success or failure to the operating system.

```
packages(Args::[string()]) -> none()
```

Calls `edoc:application/2` [page 22] with the corresponding arguments. The strings in the list are parsed as Erlang constant terms. The list can be either `[Packages]` or `[Packages, Options]`. In the first case `edoc:application/1` [page 22] is called instead.

The function call never returns; instead, the emulator is automatically terminated when the call has completed, signalling success or failure to the operating system.

See also

`edoc` [page 22]

List of Tables

1.1 reference syntax 7

Index of Modules and Functions

Modules are typed in *this* way.

Functions are typed in *this* way.

application/1
 edoc , 22
 edoc_run , 37

copy_file/0
 edoc_lib , 34

count/0
 edoc_lib , 34

datestr/0
 edoc_lib , 34

edoc
 application/1, 22
 file/1, 23
 files/1, 23
 get_doc/1, 23, 24
 layout/1, 24
 packages/1, 24
 read/1, 25
 read_comments/1, 25
 read_source/1, 25
 run/1, 26

edoc_doclet
 run/1, 28

edoc_extract
 file/1, 30
 header/1, 30
 header/2, 30, 31
 source/1, 31
 source/2, 31, 32
 text/1, 32

edoc_layout
 module/0, 33
 overview/0, 33
 package/0, 33
 type/0, 33

edoc_lib

copy_file/0, 34
count/0, 34
datestr/0, 34
escape_uri/0, 34
filename/0, 34
find_doc_dirs/0, 34
find_file/0, 34
find_sources/0, 34
get_doc_env/1, 34
get_doc_env/4, 34
get_first_sentence/0, 35
is_name/0, 35
is_relative_uri/0, 35
is_space/0, 35
join_uri/0, 35
lines/0, 35
parse_contact/0, 35
parse_expr/0, 35
read_info_file/0, 35
run_doclet/0, 35
run_layout/0, 35
segment/0, 35
simplify_path/0, 35
split_at/0, 35
split_at_space/0, 36
split_at_stop/0, 36
strip_space/0, 36
timestr/0, 36
to_label/0, 36
transpose/0, 36
try_subdir/0, 36
unique/0, 36
uri_get/0, 36
write_file/1, 36
write_info_file/0, 36

edoc_run
 application/1, 37
 file/1, 37
 files/1, 37
 packages/1, 38

escape_uri/0
 edoc.lib , 34

file/1
 edoc , 23
 edoc_extract , 30
 edoc_run , 37

filename/0
 edoc.lib , 34

files/1
 edoc , 23
 edoc_run , 37

find_doc_dirs/0
 edoc.lib , 34

find_file/0
 edoc.lib , 34

find_sources/0
 edoc.lib , 34

get_doc/1
 edoc , 23, 24

get_doc_env/1
 edoc.lib , 34

get_doc_env/4
 edoc.lib , 34

get_first_sentence/0
 edoc.lib , 35

header/1
 edoc_extract , 30

header/2
 edoc_extract , 30, 31

is_name/0
 edoc.lib , 35

is_relative_uri/0
 edoc.lib , 35

is_space/0
 edoc.lib , 35

join_uri/0
 edoc.lib , 35

layout/1
 edoc , 24

lines/0

edoc.lib , 35

module/0
 edoc.layout , 33

overview/0
 edoc.layout , 33

package/0
 edoc.layout , 33

packages/1
 edoc , 24
 edoc_run , 38

parse_contact/0
 edoc.lib , 35

parse_expr/0
 edoc.lib , 35

read/1
 edoc , 25

read_comments/1
 edoc , 25

read_info_file/0
 edoc.lib , 35

read_source/1
 edoc , 25

run/1
 edoc , 26
 edoc_doclet , 28

run_doclet/0
 edoc.lib , 35

run_layout/0
 edoc.lib , 35

segment/0
 edoc.lib , 35

simplify_path/0
 edoc.lib , 35

source/1
 edoc_extract , 31

source/2
 edoc_extract , 31, 32

split_at/0
 edoc.lib , 35

split_at_space/0

edoc_lib , 36

split_at_stop/0
edoc_lib , 36

strip_space/0
edoc_lib , 36

text/1
edoc_extract , 32

timestr/0
edoc_lib , 36

to_label/0
edoc_lib , 36

transpose/0
edoc_lib , 36

try_subdir/0
edoc_lib , 36

type/0
edoc_layout , 33

unique/0
edoc_lib , 36

uri_get/0
edoc_lib , 36

write_file/1
edoc_lib , 36

write_info_file/0
edoc_lib , 36

